



Declaration of Conformity

For the following equipment	nt:		
Product Name: AC/DC Switching Adaptor			
Model Designation: GSMwxy (w=18,25,36; x=B,E; y=05,07,09,12,15,18,24,48)			
is herewith confirmed to co applied: RoHS Directive (2011		t out in the Council Dire	ective, the following standards were
MDD Directive (93/42/8	EEC)		
EN60601-1:2006+A11+A1	+A12; EN60601-1-11:2010	TUV certificate No :	TA50266669
EMI (Electro-Magnetic In Conducted emission / Rad		oup 1)	Class B
Harmonic current	EN61000-3-2:2014		
Voltage flicker	EN61000-3-3:2013		
EMS (Electro-Magnetic S	Susceptibility)		
EN60601-1-2:2015			
ESD air	EN61000-4-2:2009	Level 4	15KV
ESD contact	EN61000-4-2:2009	Level 4	8KV
RF field susceptibility	EN61000-4-3:2006+A1:2008	+A2:2010 Level 3	10V/m(80MHz-2.7GHz)
RF field susceptibility	EN61000-4-3:2006+A1:2008	+A2:2010 Table 9	RF wireless communications equipment
EFT bursts	EN61000-4-4:2012	Level 3	2KV/100KHz
Surge susceptibility	EN61000-4-5:2014	Level 3	1KV/Line-Line
Conducted susceptibility	EN61000-4-6:2014	Level 3	10V
Magnetic field immunity	EN61000-4-8:2010	Level 4	30A/m
Voltage dip, interruption	EN61000-4-11:2004 100% dip 1	periods 30% dip 25 perio	ods 100% interruptions 250 periods
will be affected by the comple again.		ufacturers must re-qualify	nal equipment. Since EMC performance EMC Directive on the complete system ntation File).
This Declaration is effective from serial number EB6xxxxxxx			
Person responsible for ma	rking this declaration:		
MEAN WELL Enterprises	Co., Ltd.		
(Manufacturer Name) No.28, Wuquan 3rd Rd., V	Vugu Dist., New Taipei City 248	, Taiwan	
(Manufacturer Address)	N		MIRO
Johnny Huang/ Manager, Certification Center: (Name / Position) Ted Cheng/ Director, Sales Dept.: (Name / Position) (Signature)		40000	
Taiwan (Place)	Dec. 15th, 2016 (Date)		30,000